



QB/T 1193-2012

Chinese Bedding Standard 中国羽绒被标准

Source: QB/T 1193-2012

来源: QB/T 1193-2012

Applicable Products 适用产品

This standard applies to washed duck or goose down and feathers used in the bedding industry.

本标准适用于寝具行业所使用的水洗鹅、鸭羽绒羽毛。

Product Classification 产品分类

Only white goose and duck down require color separation.

仅白鹅绒、白鸭绒需进行异色毛绒检验。

Species 种类

Goose down labeled as 80% or greater requires specie testing only on down.

标签上绒子含量为 80% 及以上的鹅绒仅需进行鹅/鸭绒区分。

Goose down labeled as less than 80% requires species testing for both down and feather.

标签上绒子含量为 80% 以下的鹅绒需分别进行鹅/鸭毛、鹅/鸭绒区分。

Unidentified down and feather are reclassified according to the known percentage ratio of duck and down.

不可区分毛绒应根据已鉴别的鸭及羽绒比例重新归类。

Goose products must contain a minimum of 85% Goose.

所有鹅类产品含鹅量必须在 85% 以上。

Fill Power 蓬松度

Material is conditioned by steam method, but tested in GB cylinder and plate.

样品经过蒸汽方式进行还原处理，通过 GB 测量圆筒和压板进行测试。

Labeling 标签

See pg. 2 见第二页

Additional Requirements for <u>All</u> Down Cluster % 对各类绒子含量%的附加要求:	
Oxygen (mg/100g) 耗氧量 (mg/100g)	≤ 10.0
Turbidity (mm) 浊度 (mm)	≥ 450
Fat & Oil % 残脂率%	≤ 1.2
Moisture % 含水率%	≤ 13

Down Cluster % 绒子含量%	Down Cluster Tolerance % 绒子含量允许偏差%	Down Fiber % ≤ 绒丝% ≤	Feather Fiber % ≤ 羽丝% ≤	Landfowl % ≤ 陆禽毛% ≤	Damaged Feather % ≤ 损伤毛% ≤	Colored Down and Feather * % ≤ 异色毛绒% ≤	Quill Feather % ≤ 长毛片	Residue % ≤ 杂质% ≤	Fill Power (cm) ≥ 蓬松度 (cm) ≥	Duck Down & Feather % ≤ 鸭毛绒含量
Goose Down and Feather 鹅绒鸭毛										
Feather 羽毛	--	5.0	5.0	5.0	5.0	2.0	10.0	3.0	8.0	15
5	-2.0	10.0	10.0	5.0	5.0	1.5	3.0	2.0	10.0	15
10	-3.0	10.0	10.0	4.5	5.0	1.5	3.0	1.5	11.0	15
20	-3.0	10.0	10.0	4.0	5.0	1.5	3.0	1.5	12.0	15
30	-3.0	10.0	10.0	3.5	5.0	1.5	2.0	1.5	13.0	15
40	-3.0	10.0	10.0	3.0	5.0	1.5	2.0	1.5	14.0	15
50	-5.0	10.0	10.0	2.5	3.0	1.0	2.0	1.2	15.5	15
60	-5.0	10.0	10.0	2.0	3.0	1.0	1.0	1.2	17.0	15
70	-5.0	10.0	10.0	1.5	2.0	1.0	0.5	1.2	18.0	15
75	-5.0	10.0	10.0	1.5	2.0	1.0	0.5	1.2	18.5	15
80	-5.0	10.0	10.0	1.0	2.0	1.0	0.5	1.2	19.0	15
85	-5.0	10.0	10.0	1.0	2.0	1.0	0.5	1.0	19.5	15
90	-5.0	10.0	10.0	1.0	2.0	1.0	0.5	1.0	20.0	15
95	-5.0	5.0	5.0	1.0	2.0	1.0	0.5	1.0	20.5	15
Duck Down and Feather 鸭绒鸭毛										
Feather 羽毛	--	5.0	5.0	5.0	5.0	2.0	10.0	3.0	7.5	
5	-2.0	10.0	10.0	5.0	5.0	1.5	3.0	2.0	9.0	
10	-3.0	10.0	10.0	4.5	5.0	1.5	3.0	1.5	10.0	
20	-3.0	10.0	10.0	4.0	5.0	1.5	3.0	1.5	11.0	
30	-3.0	10.0	10.0	3.5	5.0	1.5	2.0	1.5	12.0	
40	-3.0	10.0	10.0	3.0	5.0	1.5	2.0	1.5	13.0	
50	-5.0	10.0	10.0	2.5	3.0	1.0	2.0	1.2	14.0	
60	-5.0	10.0	10.0	2.0	3.0	1.0	1.0	1.2	15.5	
70	-5.0	10.0	10.0	1.5	2.0	1.0	0.5	1.2	17.0	
75	-5.0	10.0	10.0	1.5	2.0	1.0	0.5	1.2	17.5	

IDFL LABORATORY AND INSTITUTE

Certified Laboratory: IDFB • EDFA Associations: AATCC • ADFC • ASTM • CFDA • DAC • EDFA • IABFLO • TFEA

© 2015 IDFL

www.idfl.com

IDFL
Salt Lake City, Utah
info@idfl.com

IDFL EUROPE
Frauenfeld, Switzerland
europe@idfl.com

IDFL CHINA
Hangzhou, China
china@idfl.com

IDFL TAIWAN
Taipei, Taiwan
taiwan@idfl.com

Page 1
8 January 2015



QB/T 1193-2012

Chinese Bedding Standard 中国羽绒被标准

Source: QB/T 1193-2012

来源: QB/T 1193-2012

80	-5.0	10.0	10.0	1.0	2.0	1.0	0.5	1.2	18.0
85	-5.0	10.0	10.0	1.0	2.0	1.0	0.5	1.0	18.5
90	-5.0	10.0	10.0	1.0	2.0	1.0	0.5	1.0	19.0
95	-5.0	5.0	5.0	1.0	2.0	1.0	0.5	1.0	19.5

***Note:** Only white goose and duck down require color separation.

注意: 仅白鹅绒、白鸭绒需进行异色毛绒检验

Labeling 标签

Product Label should clearly indicate the following:

产品标签须详细标明以下信息:

Product Type 产品类型	
Down Quilt 羽绒被	100% down and feathers, $\geq 50\%$ down content 填充物成分为 100% 羽绒羽毛, 且绒子含量大于等于 50%
Feather Quilt 羽毛被	100% down and feathers, $< 50\%$ down content 填充物成分为 100% 羽绒羽毛, 且绒子含量小于 50%
Mixed Down Quilt 混合羽绒被	Down and feather blend with other polyester fibers, down and feather portion $\geq 50\%$, down content $\geq 50\%$ 填充物成分为羽绒羽毛和其他纤维的混合物, 其中羽绒羽毛所占比例大于等于 50%, 绒子含量大于等于 50%
Mixed Feather Quilt 混合羽毛被	Down and feather blend with other polyester fibers, down and feather portion $\geq 50\%$, down content $< 50\%$ 填充物成分为羽绒羽毛和其他纤维的混合物, 其中羽绒羽毛所占比例大于等于 50%, 绒子含量小于 50%
Composite Down Quilt 复合羽绒被	Down and feathers and other fibers are filled into separate chambers, down and feather portion $\geq 50\%$, down content $\geq 50\%$ 填充物成分为羽绒羽毛和其他纤维, 分层、分区分别填充, 其中羽绒羽毛所占比例大于或等于 50%, 绒子含量大于等于 50%
Composite Feather Quilt 复合羽毛被	Down & feathers and other fibers are filled into separate chambers, down and feather portion $\geq 50\%$, down content $< 50\%$ 填充物成分为羽绒羽毛和其他纤维, 分层、分区分别填充, 其中羽绒羽毛所占比例大于或等于 50%, 绒子含量小于 50%

- List Product Type above fold on label and font size should not be smaller than any other text.
产品种类名称应在产品外包装的明显位置标明, 其字体不应小于其他标注内容
- Filling type and percentage should be specified and mixed fillings clearly outlined.
详细标明填充料种类及各成分比例, 混合填充物应予以明确说明
- Product dimensions: Width (cm) x Length (cm)
产品尺寸: 宽 (cm) x 长 (cm)
- Fiber Content should comply with FZ/T01053.
纤维成分应符合 FZ/T01053 规定
- Should comply with GB 5296.4
应符合 GB 5296.4
- See examples below.
详见以下示例

IDFL LABORATORY AND INSTITUTE

Certified Laboratory: IDFB • EDFA Associations: AATCC • ADFC • ASTM • CFDA • DAC • EDFA • IABFO • TFEA

© 2015 IDFL

www.idfl.com

IDFL
Salt Lake City, Utah
info@idfl.com

IDFL EUROPE
Frauenfeld, Switzerland
europe@idfl.com

IDFL CHINA
Hangzhou, China
china@idfl.com

IDFL TAIWAN
Taipei, Taiwan
taiwan@idfl.com

Page 2
8 January 2015



QB/T 1193-2012

Chinese Bedding Standard 中国羽绒被标准

Source: QB/T 1193-2012

来源: QB/T 1193-2012

Down Quilt 羽绒被

Fabric: 80% Cotton / 20% Polyester

面料: 80%棉 / 20 聚酯纤维

Filling: Grey Duck Down (80% Down)

填充物: 灰鸭绒 (绒子含量 80%)

Net Fill Weight: 150g

填充量: 150g

Feather Quilt 羽毛被

Fabric: 80% Cotton / 20% Polyester

面料: 80%棉 / 20% 聚酯纤维

Filling: Grey Duck Feather (30% Down)

填充物: 灰鸭毛 (绒子含量 30%)

Net Fill Weight: 150g

填充量: 150g

Mixed Down Quilt 混合羽绒被

Fabric: 80% Cotton / 20% Polyester

面料: 80%棉 / 20% 聚酯纤维

Filling: 70% Grey Duck Down (50% Down)

30% Lyocell

填充物: 70%灰鸭绒 (绒子含量 50%)

30%莱赛尔纤维

Net Fill Weight: Grey Duck Down 140g

Lyocell 60g

填充量: 灰鸭绒 140g

莱赛尔纤维 60g

Mixed Feather Quilt 混合羽毛被

Fabric: 80% Cotton / 20% Polyester

面料: 80% 棉 / 20% 聚酯纤维

Filling: 70% Grey Duck Feather (30% Down)

30% Lyocell

填充物: 70% 灰鸭毛 (绒子含量 30%)

30%莱赛尔纤维

Net Fill Weight: Grey Duck Feather 140g

Lyocell 60g

填充量: 灰鸭毛 140g

莱赛尔纤维 60g

Composite Down Quilt 复合羽绒被

Fabric: 80% Cotton / 20% Polyester

面料: 80%棉 / 20% 聚酯纤维

Filling: Upper Layer: 100% Grey Duck Down (80% Down)

Under Layer: 100% Grey Duck Feather (30% Down)

填充物: 上层: 100%灰鸭绒 (绒子含量 80%)

下层: 100%灰鸭毛 (绒子含量 30%)

Net Fill Weight: Upper Layer 140g

Under Layer 60g

填充量: 上层 140g

下层 60g

Fabric: 80% Cotton / 20% Polyester

面料: 80% 棉 / 20% 聚酯纤维

Filling: Centre: 100% Grey Duck Down (80% Down)

Edge: 100% Lyocell

填充物: 中间: 100%灰鸭绒 (绒子含量 80%)

周边: 100%莱赛尔纤维

Net Fill Weight: Grey Duck Down 140g

Lyocell 60g

填充量: 灰鸭绒 140g

莱赛尔纤维 60g

Composite Feather Quilt 复合羽毛被

Fabric: 80% Cotton / 20% Polyester

面料: 80%棉 / 20%聚酯纤维

Filling: Upper Layer: 100% Grey Duck Down (80% Down)

Under Layer: 100% Grey Duck Feather (30% Down)

填充物: 上层: 100%灰鸭绒 (绒子含量 80%)

下层: 100%灰鸭毛 (绒子含量 30%)

Net Fill Weight: Upper Layer 100g

Under Layer 140g

填充量: 上层 100g

下层 140g